

	Application No.	Applicant(s)
Notice of Allowability	10/088,933	HALUSCHKA ET AL.
	Examiner	Art Unit
	Vinod D. Patel	3742
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate common GHTS. This application is so	n this application. If not included unication will be mailed in due course. THIS
1. \square This communication is responsive to $\underline{1/3/05}$.		
2. X The allowed claim(s) is/are 14 and 16-26.		
3. The drawings filed on 28 June 2004 are accepted by the Ex	kaminer.	
 4. Acknowledgment is made of a claim for foreign priority undanal All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application	on No
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMETHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give: 		
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspersor 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.6 each sheet. Replacement sheet(s) should be labeled as such in the 7. DEPOSIT OF and/or INFORMATION about the deposit 	on's Patent Drawing Review Amendment / Comment or 84(c)) should be written on the header according to 37 CF	r in the Office action of he drawings in the front (not the back) of FR 1.121(d).
attached Examiner's comment regarding REQUIREMENT F		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview So Paper No./ 3), 7. ☐ Examiner's	formal Patent Application (PTO-152) ummary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for Allowance

Notice of Allowability

Application/Control Number: 10/088,933 Page 2

Art Unit: 3742

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mayer Richard on 3/15/05.

The application has been amended as follows:

In the claims;

Claim 14, line 10, "one of" have been deleted.

Claim 25, line 9, "and not connected to the first and second feeder layers" have been inserted after "ceramic material".

Allowable Subject Matter

- 2. Claims 14 and 16-26 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

Although the prior art is replete with teachings of a sheathed element glow plug, the prior art does not teach to one of ordinary skill in the art, and in combination with the other limitations of the independent claims, a sheathed-element glow plug having an ionic-current sensor comprising an ionic current detection electrode that is not connected to the first and second feeder layers.

Application/Control Number: 10/088,933 Page 3

Art Unit: 3742

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vinod D. Patel whose telephone number is 571-272-4785. The examiner can normally be reached on 7.30 A.M. TO 4.00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robin Evans can be reached on 571-272-4777. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

VP

March 15, 2005

Vmc Pater 3-15-55 Vinod Patel

Patent Examiner

ROBIN O. EVANS
PRIMARY EXAMINER
3/18/05